Glass door storages - Standard technical specification



,mdd

MDD has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

MDD is higly aware of the environment.

Being located in the forest region with lake by its side, MDD takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. MDD has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.













General informations:

Warranty:

MDD products – **5 years**. Electrical components and fabric – **2 years**.

Certyficate - MFC:





Assembly:

product delivered in separate elements

Packing:


cardboard, bubble wrap, stretch foil

Compliant with standards:

PN-EN 14073-2:2006

Boards density:

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3




- 1. Top MFC 28 mm, ABS edge
- 2. Back MFC 18 mm, ABS edges
- 3. Body MFC 18 mm, ABS edge
- 4. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge
- 5. Base MFC 18 mm, ABS edge
- 6. Leveling feet 27 mm range 5 mm
- 7. Patent lock
- 8. Glass front basic version AS31 glass door 3OH, transparent tempered glass 4 mm, universal (left,right);


OPTION WITH EXTRA CHARGE:

- IM300 Glass door 30H
 - transparent tempered glass 4 mm, with aluminum frame
- AS300 (AS29+AS30)
- AS29 Glass door 3OH
 - frosted tempered glass 4 mm, with aluminum frame
 - right
- AS30 Glass door 3OH
 - frosted tempered glass 4 mm, with aluminum frame
 - left
- AS500 Glass door 50H
 - transparent tempered glass 4 mm, with aluminum frame
- OPTION WITH EXTRA CHARGE metal base colour: M009 aluminium semi-matt

10. Front - MFC 18 mm, ABS edge, plain hinge 110°

- * Standard vertical handle, aluminium
- * Pro (OPTION WITH EXTRA CHARGE) horizontal handle, aluminium, espagnolette lock two-point






Glass door storages *









A5504W 801 / 432 / 1833 76.7 kg




A3504W 801 / 432 / 1129 48 kg




A5504TMW 801 / 432 / 1833 73.7 kg



A3504TMW 801 / 432 / 1129 51 kg



A54D4W 801 / 432 / 1833 76.1 kg



A58P2W** 402 / 432 / 1833 47.5 kg




A5404W 801 / 432 / 1833 80 kg

^{*} dimensions expressed in millimeters: width x depth x height ** option – left hand side or right hand side front

Top, base, body, front



Front - A54D4W



^{*} body - II group